

MESSENGER-INQUIRER



July 26, 2025

Establishing a New Lawn
Annette Meyer Heisdorffer, PhD
Extension Agent for Horticulture Education – Daviess County

Establishing a new lawn or completely re-establishing a new lawn that is mostly weeds is best completed during mid-August to the end of September. During this time, the weed competition is less and the temperature is favorable. Take the time now to prepare for the process described below and purchase seed to avoid missing this window.

Proper soil preparation is key to establishing a new lawn. This involves soil tillage and the destruction of existing grass. An advantage of tilling the soil is the ability to improve it by incorporating organic matter. It is easier to amend the soil before the lawn is established.

Remember to call 811 before tilling the soil to mark utility lines.

Adding organic matter to the existing topsoil helps to improve water drainage and reduce compaction. Peat moss, well-decomposed sawdust, well-rotted and weed-free manure, and compost will improve soil that is too sandy, contains too much clay, or is compacted. Use 2 to 3 cubic yards of organic matter for every 1000 square feet of lawn. Spread it evenly over the surface and roto-till or disk it into the upper 6 inches of soil before seeding. Do not work the soil

MESSENGER-INQUIRER

when it is wet because the soil will compact more, which defeats the benefits of the organic matter.

Next, test the soil to determine the need for lime or fertilizer. Soil can be tested through the county Cooperative Extension Service Office. Generally, the tests are completed in 10 to 14 days. Soil test results indicate whether lime, phosphorus, or potassium are needed or not. After applying the recommended amount of fertilizer and lime if needed, work them into the top 4 to 6 inches of soil before seeding.

Next, allow the soil to settle through two or three good rains or irrigations. If the water puddles, drain or fill in these low spots. Good surface drainage is a must! The final seedbed should be firm but not compacted and free of large clods and rocks.

For selecting seed for this area, turf-type tall fescue is the best grass for lawns. It has few insect and disease problems, good heat and cold tolerance, competes well with most weeds, has good traffic tolerance, establishes relatively easily, is adapted to full sun, droughty soils or clay and sandy soils, and is recommended for areas with medium shade. A fine fescue can be used in the shade if the turf-type fescue will not grow there; however, the leaf texture and plant habit are different from turf-type fescue and are still hard to grow in heavy shade. KY-31 is better suited for very low-maintenance sites or utility turf areas. Although tall fescue is normally a bunchgrass, when sown at the proper rate of 6 pounds per 1000 square feet, leaf coarseness or clumping is not a problem.

Mixtures of tall fescue with other types of grass are not recommended because coarse and fine textures mixed make differences in blade widths noticeable. Under optimum conditions, the germination time for tall fescue is 7-10 days. However, it may take longer when moisture is

MESSENGER-INQUIRER

lacking, when the surface soil temperature remains cold, or even when there are periods of wet/dry conditions. Germination also takes longer when old or poor-quality seed is used or when new seed harvested in the summer is used for a late summer seeding. This seed may have a short-term dormancy factor that slows down germination for several weeks.

When purchasing seed, look for the words Certified seed in a block on the bag or on a tag attached to the bag. Certified seed guarantees that what the tag states is in the bag. Typically, Certified seed contains few weed seeds and includes this information on the tag. More information is available in the publication “Lawn Establishment in KY”

<https://publications.ca.uky.edu/files/AGR50.pdf>

Seeding the lawn can be accomplished with a rotary seeder or drop-type seeder and fertilizer spreader. The seeding rate for tall fescue is 6 pounds per 1000 square feet. For uniform distribution of the seed, divide the seed into two equal lots with the second lot seeded at right angles to the first. The seed should be covered by raking over it lightly or rolling but avoid making a smooth surface.

The seeded area is covered with mulch, such as straw, that is as weed-free as possible or other suitable material. The mulch should be spread thin enough to expose about 50 percent of the soil surface. It takes approximately one bale of straw per 1000 square feet of area. Water the newly seeded area frequently, especially if mulch is not used. Keep the soil surface moist until the grass seedlings become established.

After the tall fescue grass seedlings begin to grow, mow at the recommended height of 2.5 to 3 inches. Sharpen the mower blade so the grass leaf blade is cut cleanly and not torn. By

MESSENGER-INQUIRER

mowing early and not letting excessive grass accumulate, the texture will be finer, many upright weeds will be killed, and the turf will become denser.

For more information about establishing a new lawn, contact the Daviess County Cooperative Extension Service at 270-685-8480 or email annette.heisdorffer@uky.edu.

Annette's Tip:

When selecting turf-type tall fescue varieties, a resource for specific cultivars is the National Turfgrass Evaluation Program's website at <http://www.NTEP.org>. If you are not able to find the varieties listed, any turf-type fescue is still preferred.

The Martin-Gatton College of Agriculture, Food and Environment is an Equal Opportunity Organization with respect to education and employment and authorization to provide research, education information and other services only to individuals and institutions that function without regard to economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, creed, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, age, veteran status, physical or mental disability or reprisal or retaliation for prior civil rights activity.